





KM3NeT



Multi-purpose Mediterranean Sea Neutrino detectors



Neutrino detection in KM3NeT




230 detection units
4140 optical modules
128340 PMTs

KM3NeT detector scales


36m vert. x 90m horiz. spacing TeV - PeV

ARCA BB1 **ARCA BB2**



Astroparticle
Research
with Cosmics
In the Abyss

ARCA: off shore
Capo Passero, Italy




Oscillation
Research
with Cosmics
In the Abyss

(Spacing between the 2
BBs is not at scale)

ORCA: off shore
Toulon, France


9m vert. x 20m horiz. spacing
GeV - TeV

108 detection units
1944 optical modules
60264 PMTs



KM3NeT Technologies

The KM3NeT digital optical modules are the eyes of the experiment observing the light around it



KM3NeT Digital Optical Modules
31 PMT assembled in a pressure resistant glass sphere
18 DOMs mounted on a mooring line anchored on the sea bed



Inspired several experiments




HyperK




IceCube

KM3NeT Technologies



Status of the construction

- **Parallel construction of ORCA and ARCA**
- Multiple integration sites across the world: 24 sites on 7 countries
- **~2100 optical modules built**
- **~100 detection units integrated**
- **End of the construction 2030 for ORCA, 2032 for ARCA**





27-Jan-26	ARCA		ORCA (108)	
	quantity	% completed out of total	quantity	% completed out of total
Optical Modules	1206	33,8%	864	44,4%
Base Modules	71	35,9%	47	43,5%
Detection Units	58	29,3%	36	33,3%


Some pictures



Some pictures



Some key numbers...



Éléments

- **ORCA:**
 - 108 DUs
 - ~2000 DOMs
 - 4 Nodes
- **ARCA:**
 - 230 DUs
 - ~4100 DOMs
 - 17 Nodes
- 200 000 PMT
- ~1 Million de composants
- ~300 transports/an



Coûts

- DU: 420k€
- BM: 35k€
- 1xDOM: 13k€
- Node: ~850k€
- Transports: ~7k€/DU
- Déploiement: ~40k€/DU




Durées

- **Durées moyennes d'intégration par site:**
 - 1xBM: ~1 mois
 - 1xDU: ~1 mois
 - 18xDOM: ~1,2 mois
- **Rythmes d'intégration tout sites compris:**
 - 1xBM: ~0,5 mois
 - 1xDU: ~1 mois
 - 18xDOM: ~1,2 semaines


Current situation of ARCA

51 DUs deployed (44 % of the 1st building block)

+ 2 JB's + 14 DUs + 2 replacements DU in Summer 2026



Current layout of the 1st building block



- **Stable data-taking efficiency ~90%**
- **So far, we have presented results of the ARCA6-21 dataset (~130 Mt.yr)**
- **We are finalizing the calibration and processing of ARCA28/30 dataset**


Current situation of ORCA

33 DUs deployed (1/4 of the full detector)


+ 2 sea science instrumented units

6 DUs to be deployed in April 2026

6 DUs to be deployed in October 2026




Current layout (1 building block)





- **Stable data-taking efficiency ~92%**
- **So far, we have presented results of the ORCA6-11 dataset (~715 kt.yr)**
- **We are finalizing the analyses of ORCA15-18 dataset and prepared the ORCA23-24 dataset.**

Current situation of ORCA



LSPM: ORCA sea-floor infrastructure

- 1 shore station in La Seyne sur Mer
 - 1 power hut (1 /2 Power Feeding Equipments)
 - 2 deep-sea cables
 - 2 /4 nodes deployed and in operation
-
- 1 Pre-BJS + 1 BJS
 - Earth and Sea Science Equipments



+ strong links with INSU, Ifremer and EMSO

Calibration

Calibration in time, efficiency and position of the 2 detectors is a very challenging task.


Quantity	Target
Position	< 20 cm
Orientation	$\sim 5^\circ$
Timing	< 1 ns
PMT response	few %

Calibration is performed in multiple steps:


- Dark room calibration to get a pre-calibration (with a laser)
- Dynamic orientation and acoustic positioning (acoustic emitters, compass/tilt)
- Inter-DOM and inter-DU time calibration (40K, atmospheric muons, nano beacons, laser)
- PMT gain and efficiencies (40K)
- Absolute pointing (Moon/Sun shadow, external acoustic source)

Comparison static/dynamical positioning

KM3NeT/ARCA30, preliminary




Time calibration in dark box





Absolute pointing calibration

Box-in method with RoV or vessel



- Absolute positioning of reference beacons $<1\text{m}$
- Standard acoustic positioning calibration procedure


Moon/sun shadows



ORCA6

Parameters	Moon 2D	Sun 2D
σ_{res}	$0.49^\circ \pm 0.15^\circ$	$0.65^\circ \pm 0.13^\circ$
A	0.71 ± 0.27	1.31 ± 0.34
$\Delta\chi^2_{H1/H0}$	-21.3	-43.0
Significance	4.2σ	6.2σ
Events/deg ²	2892	3161

KM3NeT Collaboration



KM3NeT organigram



AISBL Council
Chair and Director: *N. Leroy*

Scientific and Technical Advisory Committee
Chair: *C. Timmermans*

Institute Board
Chair: *A. Kouchner*

Publication Committee: *A. Margiotta, E. Tzamariudaki*
Conference Committee: *C. Markou*
Outreach Committee: *M. Circella, TBD*
Open Science Committee: *J. Schnabel*
Early Career Scientists: *A. Bariego Quintana, TBD*

Governance & Oversight

AISBL Executive Board

AISBL Director:
N. Leroy

Management Team

Spokesperson/Chair: *P. de Jong*
Deputy Spokesperson: *D. Dornic*
Technical Project Manager: *A. D'Amico*
Physics & Software Manager: *R. Coniglione*
Site Manager KM3NeT-Fr: *N. Lumb*
Site Manager KM3NeT-It: *R. Cocimano*
Site Manager KM3NeT-Gr: *C. Markou*

Equality, Diversity, Inclusion Committee
V. Van Elewyck, E. Tzamariudaki

Executive Management

Science Steering Committee

Chair: *R. Coniglione*
Astronomy: *G. Illuminati, M. Lamoureux, A. Marinelli*
Calibration: *V. Pestel*
Cosmic Rays: *R. Bruijn, A. Romanov*
Dark Matter/Exotics: *A. García-Soto, S. Gozzini*
Oscillations: *J. Brunner, V. Carretero Cuenca*
Processing/Data-Quality: *F. Badaracco, F. Filippini, C. Lastoria*
Simulations: *C. Distefano, L. Fusco,*
Software/computing: *L. Aphecetche,*
R. Bruno, J. Schnabel

Project Office

Chair: *A. D'Amico*
Project Control Officer: *TBD*
Procurement Manager: *M. Circella*
Procurement Officer: *S. Lancelin*
QA/QC Manager: *C. Vérilhac*
QA/QC Officer: *L. Morales Gallegos*
R.A.M.S Manager: *S. Colonges*
R.A.M.S Software: *TBD*
System Engineer: *S. Henry,*
M. Lindsey Clark


Technical Steering Committee

Chair: *P. de Jong/A. D'Amico*
Calibration Hardware: *D. Vivolo*
DAQ: *E. Giorgio, F. Benfenati*
Det. operations: *A. Enzenhöfer, P. Piattelli*
Electronics: *D. Calvo, D. Real**
Mechanics: *A. Ilioni, E. Berbee**
Optics: *J-W. Schmelling, S. Pulvirenti**
PMT: *A. Simonelli*
Power: *C. Nicolau, D. Bonanno**
Software/computing: *L. Aphecetche,*
R. Bruno, J. Schnabel *deputy coordinator 30/01/2026

BM integration: *I. Sgura*
DOM integration: *E. Leonora,*
C. Poiré, Y. Roy**
DU integration: *A. Marini, C. Mollo*
DB manager: *C. Bozza*

R. Bruno, J. Schnabel *deputy coordinator 30/01/2026

KM3NeT France



7 Laboratories @ IN2P3:

APC, CPPM, IPHC, LPC-Caen, LSPM, LUPM, Subatech (+LP2I)

In 2025, 102 persons for 65 ETP

~57 scientific persons (34 ETP)

~45 technical persons (31 ETP)

KM3NeT France responsibilities

Laboratoire	ETP (S/T)	Technical responsibilities	Scientific responsibilities	Management responsibilities
APC	5.9/3.8	Mechanics WG convener RAMS Manager System Engineer Calibration Base QA/QC Manager	Astronomy WG convener Oscillation WG convener (former)	ANTARES Spokesperson KM3NeT IB Chair EDI Committee Chair Technical Project Manager (former)
CPPM	3.6/14.2	Procurement Officer System Engineer Detector Operation Manager ORCA DU Integration WG convener ORCA Marine Operation ORCA seafloor infrastructure ORCA seafloor infrastructure operation ORCA BM integration DU anchor integration Acoustic Positioning ORCA shore station manager Instrument Unit Radioactivity detector MECMA contact person	Oscillation WG convener Astronomy WG convener (former) Online Physics Analysis WG convener	ORCA Site Manager KM3NeT Deputy Spokesperson KM3NeT Spokesperson (former) KM3NeT-Fr Scientific Resp. KM3NeT-Fr Technical Resp. LSPM Director ANTARES Technical Manager CZAR CC-IN2P3
IPHC	0.8/2.0	DOM integration		
LPC Caen	3.0/1.5	DU integration	Calibration WG convener DPDQ WG convener CR WG convener Software & Computing WG convener (former)	CZAR CC-IN2P3
LUPM	0.1/1.0	BM integration		
Subatech	3.5/3.5	DOM integration DOM integration WG convener BM integration (until end 2026)	Software & Computing WG convener	

Actual funding situation

For ORCA:

- * Secured budget for the upgrade of the sea-floor infrastructure (2 nodes + branching unit + upgrade PFE + shore station equipment). CPER NEUMED
- * Secured budget for 94/108 detection units (CNRS + NWO + INFN)

For ARCA:

- * Secured budget for the upgrade of the sea-floor infrastructure: 12/15 nodes + shore station equipment
- * Secured budget for ~150/230 detection units (mostly INFN+regions)

Events in KM3NeT

⇒ Optical background light from 40K decay and bioluminescence [easily rejected thanks to the multi-PMT design] ⇒ calibration + ESS

⇒ For physics searches, 3 main event categories are recorded in KM3NeT :

Atmospheric muons

⇒ $\mu_{\text{atm}} \sim 10^8 - 10^{10}$ /yr [downgoing]

⇒ Calibration

⇒ Cosmic ray physics

Atmospheric neutrinos

⇒ $\nu_{\text{atm}} \sim 10^5 - 10^6$ /yr [all-sky]

⇒ Neutrino oscillation


⇒ Beyond standard model

Cosmic neutrinos

⇒ $\nu_{\text{cosmic}} \sim 100 - 500$ /yr [all-sky]


⇒ Neutrino astronomy

⇒ Dark matter



Science cases with KM3NeT


Cosmic Rays



Astrophysics



Neutrino Physics




KM3NeT

Opens a new window on our universe

Complementarity of ORCA and ARCA
on all topics

Dark Matter




Earth and Sea



Combinaison ORCA+ARCA

One of the main advantage of KM3NeT is the complementarity between ORCA and ARCA to have the best discovery potential in a very large energy range



Scientific Topic	ORCA	ARCA
Cosmic sources	☆☆	☆☆☆☆
CCSN (Core-Collapse Supernovae)	☆☆☆	☆☆☆
Oscillation parameters	☆☆☆☆	☆
Mass hierarchy	☆☆☆☆	☆
Sterile neutrinos	☆☆☆	☆☆
Beyond the Standard Model (BSM)	☆☆	☆☆☆
Dark matter	☆☆☆	☆☆☆
Cosmic rays	☆☆	☆☆☆



Cosmic rays

Very large atmospheric muon sample:




- Atmospheric muon parametrization using the Daemon flux data-driven model
- Measure the water properties with stopping muons
- Prompt component in atmospheric muon analysis
- Measurement of the cosmic rays anisotropy
- Seasonal variation of atmospheric muons
- Measurement of the atmospheric neutrino spectrum



Dark matter at Galactic Center

Analysis for WIMP Dark Matter annihilation:

- Competitive upper limits for ARCA19-21
- New sensitivities for ARCA230 (1y and 5 y)
- New sensitivities for ORCA6-11



Competitive results for the Sun



Publications



Earth and Sea Science


Long-term monitoring of the sea water properties:

- M2II (INSU) and IU (CPPM) connected to LSPM
- ALBATROSS mooring line (MIO/INSU)
- Large array of high precision temperature sensors (NIOZ-Netherlands)
- Germanium gamma-ray spectrometer (CPPM)
- KM3NeT optical modules




Earth and Sea Science

- BathyBot/BathyReef benthic crawler (MIO/INSU) to survey the deep-sea marine life
- A stereo biocamera system (IP2I-Lyon) to detect faint bioluminescence animals
- The KM3NeT acoustic beacons/piezos to detect and monitor the bio-acoustic signals from Cetaceans



Spectrum chant sur 20 ans




Evolution du chant sur 20 ans



Earth and Sea Science

Distributed Acoustic Sensing (DAS) laser system, tested on the some unused fibres of main electro-optic cable (with Alcatel and GeoAzur-Nice/INSU)

Probing the Earth's interior with neutrino oscillation tomography (APC / IPGP / LGL-TPE / Idaho Univ.)



A Magnitude 1.9 earthquake near Frejus (DAS)



Summary

KM3NeT telescope is currently under construction but already taking data with partial configurations. ARCA: 51 lines, ORCA: 28 lines (completion in 2030-32)

Two sites with complementary energy coverages:

- ORCA from 5 GeV to TeV → optimized for neutrino oscillations but excellent telescope for astronomy
- ARCA from TeV to 100 PeV → optimized for high-energy astrophysical neutrinos
⇒ $< 0.1^\circ$ ($< 1.5^\circ$) for tracks (showers) for $E_\nu > 100$ TeV
- ARCA+ORCA combined detector for MeV

First results:

- With only 5% of the planned exposure, a lot of quite competitive results in oscillation
- KM3-20230213A: first UHE neutrino event
- Diffuse emission and point-source searches: getting close to ANTARES sensitivities
- Multi-messenger online program: started. Soon: sending follow-ups and ν alerts
- Start open science program (public dataset, public alert, transnational access...)
- A lot of diverse ESS studies