#### Scientific council IN2P3 - 23/10/2023

#### DAMIC-M Project

For the team : Antoine Letessier Selvon

Technical team : P. Bailly, , A. Cadiou, J. Coridian, A.Dastgheibi-Fard, , R. Gaïor, M. Dhellot, L. Iddir, , H. Lebbolo, D. Martin, E. Pierre, Y. Peinaud, O. Pochon, P. Le Ray, G. Warot,

Research team : **A.Dastgheibi-Fard**, J. Da Rocha, **C. De Dominicis**, **O.Deligny**, **R. Gaïor**, L. Khalil, **A. Letessier Selvon**, P.Loaiza, A. Matalon, G. Papadopoulos, **P. Privitera**, S.Scorza, **M. Settimo**, M. Traina, **G. Warot**, **J-P. Zopounidis**.



DAMIC @ SNOLAB

La LBC à Modane.

Conception de DAMIC-M

3 experiments with thick CCDs

# The DAMIC program

DAMIC@SNOLAB LBC DAMIC-M

## Principle of detection

- Energy deposition by nuclear or electron recoil
- Reading after exposure or continuous
- Cluster search (WIMPS)
- Analysis of charge distribution (dark sector)







## Key points for performance

- Background noise < a few tenths of DRU
- \* Energy resolution < 1 e-
- \* Mass ~ 1 kg
- Exposure ~ 1 kg.year



## Technical commitments made

- 1. Shields (transport + LBC), clean rooms (LPNHE+LSM), cryogenic test benches (3 at the LPNHE)
- 2. Simulations (detecter optimisation)
- 3. Cryostat studies
- 4. The digital conversion card with 4 ADCs of which several versions have been studied and for which the collaboration has chosen the French proposal with an 18-bit ADC of 15 MHz sampling frequency
- 5. The sequencing firmware, based on that of LSST, the ADC control firmware, the online data processing firmware.
- 6. The interface middleware with the control board (ACM) for the configuration of sequencing firmware, polarisation voltages and ADC configurations.
- 7. The acquisition system itself with the control of the 50 CCD modules, image recovery, monitoring, etc.
- 8. The synchronisation card





## FastADC board & firmware

#### \* ADC 18 bit, 15 MHz

- Proposal of the LPNHE alternative to ADC 20 bits 1.5 Mhz
- \* Tested and Qualified at the LPNHE
- Solution adopted by the collaboration (best resolution)
- \* Cards produced in Zurich
- Reading firmware Zurich/Paris/ Chicago



#### Firmware

Vtra	nsfer12:	:	#	0ne	pixe	l ver	rtical	transf	er to	wards	bot	h sid	es 1	and	2								
	clocks:		۷	11,	V21, V	V31,	TG1,	V12,	V22,	V32, <sup>·</sup>	TG2												
	slices:																						
	100	ns	=	1,	0,	1,	0,	1,	0,	1,	0	#	side_	1: \	<b>V2</b> 1	o '	٧1	to	٧3	to	٧2	to	٧1
	TVpa	art	=	0,	0,	1,	0,	1,	0,	0,	0	#	side_	2: \	<b>V2</b> 1	o '	٧3	to	٧1	to	٧2	to	٧3
	TVpa	art	=	0,	1,	1,	0,	1,	1,	0,	0												
	ТVра	art	=	0,	1,	0,	0,	0,	1,	0,	0												
	TVpa	art	=	1,	1,	0,	0,	0,	1,	1,	0												
	TVpa	art	=	1,	0,	0,	0,	0,	0,	1,	0												
	TVpa	art	=	1,	0,	1,	1,	1,	0,	1,	1												
	constant	ts:	Η1	L=1,	H2L=(	0, H3	3L=1, S	SW1=0,	0G1=1	, RG1:	=1,	DG1=1	, н	<b>1U=</b>	1, H	12U:	=0,	H3	U=1	, s	W2=	:0,	
	0G2=1, F	۲G2=	=1,	DG2	=1																		

- Sequencing firmware
- Data reduction firmware
- Fast ADC reading firmware

# LDAQ & CDAQ



- CDAQ: Central acquisition that controls all LDAQs
- LDAQ: Local acquisition, allows the configuration of electronics and sequencer
- ODAQ: Acquisition Odile / ACM, a communication server that manages exchanges with firmwares via Ethernet.

## Test benches and LBC









## Some scientific results

- With the skipper CCDs
- With the LBC

## **Compton studies**

Phys. Rev. D 106, 092001



FIG. 10. The measured <sup>241</sup>Am Compton spectrum (black) from the 23 eV detection threshold to 2.1 keV. The K-step is observed at 1.8 keV. The GEANT4 simulated spectrum (purple) that is based on the relativistic impulse approximation is also shown. In red is the *ab initio* calculation from the FEFF code, with detector response taken into account. The inset shows the data comparison to the FEFF prediction in the L-shell energy range.

#### LBC leptophilic limits

Phys. Rev. Lett. 130 171003



FIG. 3. DAMIC-M 90% C.L. upper limits (solid black) on DM-electron interactions through a ultra-light mediator (left) and heavy mediator (right). Also shown are current best direct-detection limits from other experiments, DAMIC-SNOLAB [35] (dashed black), SENSEI [20] (solid gray), EDELWEISS [36] (dashed gray), SuperCDMS [37] (dotted gray), DarkSide-50 [38] (solid violet), XENON1T combined result from [39, 40] (dashed violet), PandaX-II [41] (dotted violet), and a limit obtained from XENON10 data in Ref. [42] (dash-dotted violet). Theoretical expectations assuming a DM relic abundance from freeze-in and freeze-out mechanisms are also shown in light blue [11].

#### LBC leptophilic limits (pre-eliminary) Daily modulation analysis

https://arxiv.org/abs/2307.07251



FIG. 4. DAMIC-M 90% C.L. upper limits (solid thick black) on DM-electron interactions through an ultralight (left) and heavy (right) dark photon mediator obtained from the daily modulation analysis. Also shown are previous limits from DAMIC-M [16] (solid black) and other experiments: DAMIC-SNOLAB [13] (dashed black); SENSEI [14] (solid gray); EDELWEISS [15] (dashed gray); SuperCDMS [12] (dotted gray); XENON1T combined result from [66, 67] (dashed violet); PandaX-II [68] (dotted violet); a limit obtained from XENON10 data in Ref. [69] (dash-dotted violet); and a limit obtained from XENON1T data considering "solar reflected DM" (dashed orange) from Ref. [70] (left) and Ref. [71] (right). Theoretical expectations assuming a DM relic abundance from freeze-in and freeze-out mechanisms are also shown in light blue [72].

#### Identification of nuclear recoils



FIG. 7. Fraction of nuclear-recoil ionization events that are spatially correlated with a defect above threshold as a function of energy. The corresponding fraction for electronic recoils is < 0.1%. https://arxiv.org/abs/2309.06235

# Scientific training

- \* 7 PhDs since 2017
  - \* Joao Da Rocha, DAMIC@SNOLAB, background noise studies, GEANT4 simulations
  - Claudia De Dominicis, Compton Studies
  - \* Latifa Khalil, DAMIC-M, electronics for DAMIC-M, ADC qualification
  - \* Ariel Matalon, DAMIC, Franco-American thesis, installation and qualification of CCDs at the LPNHE, background noise measurement DAMIC@SNOLAB
  - Giorgos Papadopoulos, DAMIC-M, DAMIC-M electronics, CROD qualification, DCA, CABAC
  - \* Michelangelo Traina, DAMIC-M, LPNHE test benches, LBC installation and analysis
  - \* Lounes Iddir, Electronics and low background noise reading of CCDs

## Work Plan & Perspectives

- \* Electronics test with the DAQ 2023
- \* Qualification of CCD and packaging -2024
- \* Installation DAMIC-M 2024
- \* Data taking 2025-2026, 1kg.year of exposure
- \* Scientific analyses and publications 2026-2028
- \* Oscura? 2024...
- From September 2024 the scientific team will be greatly reduced due to the end of the ERC program
  - \* At the IJCLab: Olivier Deligny (increase from 20 to 50%)
  - \* A SUBATECH Mariangela Settimo (15%)
  - At the LPNHE ALS(80%), Romain Gaior (decreased to 30%), + 1 year of PhD and 1 year of fixed-term researcher on equity funds
  - \* At LPSC Ali Dastgheibi-Fard (15%), Guillaume Warot (10%)

#### Request for support over 4 years 2024-2028

- \* 2 PhD 2x120 k€
- \* 2 CDD researcher 2x180 k€
- \* Small logistical support to the 4 laboratories (LPSC, IJCLab, LPNHE, SUBATECH) 10 15 k€ /lab/year

Total: ~ 800k€ for the 4 years and the 4 labs.

For commissioning 2024-2025

Data acquisition 2025-2026,

Analyses and scientific publications 2026-2028